


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
		N3		REVISED PER ECO-11-004587	11MAR11	RK	HMR

- 1 PART PACKAGED UNASSEMBLED.
- 2 CABLE CLAMPING AREA ADJUSTABLE FROM .010 TO .161 SQ IN BY REVERSING CLAMPING INSERTS. (2 INSERTS SUPPLIED)
- 3 CABLE CLAMPING AREA ADJUSTABLE FROM .010 TO .161 SQ IN BY CHANGING CLAMPING INSERTS. (4 INSERTS SUPPLIED, -4 ONLY)
- 4 .453 MAXIMUM CABLE OUTSIDE DIAMETER.
- 5 BULK PACKAGED KITS TO BE ORDERED IN MULTIPLES OF 200 ONLY.
- 6 NON-HEXAVALENT CHROMATE FINISH.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



6	INDIVIDUAL	1-206070-1
5	BULK	1-206070-0
2, 6, 7	OBSOLETE SMALL PACK	206070-9
2, 6	INDIVIDUAL	206070-8
6, 7	OBSOLETE INDIVIDUAL	206070-7
6, 7	OBSOLETE SMALL PACK	206070-6
	OBSOLETE BULK	206070-4
6, 2	SUPERSEDED BY 1-206070-0	5 BULK 206070-3
6, 2	SUPERSEDED BY 206070-8	INDIVIDUAL 206070-1

PACKAGING	PART NUMBER
-----------	-------------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	4/23/91		STE TE Connectivity
		CHK	7-22-92		
		A GRAFF			
		W.G.LENKER			
		APVD	-		NAME
		PRODUCT SPEC		CABLE CLAMP KIT, STANDARD, SHELL SIZE 17, CPC	
		108-10024			
		APPLICATION SPEC			
		WEIGHT	-		RESTRICTED TO
		A3 00779		-	
		C=206070			
		CUSTOMER DRAWING		SCALE	NTS
				SHEET	1 of 1
				REV	N3